

GUY GUARDS



ELECTRICAL SYSTEMS

SAFETY WARNING DEVICES

- Bright Colors
- Highly Resistant to Impact
- Resists Corrosion & Oxidation



We build tough products for tough environments®

SAFETY WARNING

devices signal the presence of guy wires

Guy guards are a vital safety component of any electrical wire system as they cover and alert linemen and pedestrians of guy wire and guy systems supporting utility poles and telecommunication towers. Made of polyethylene polymer, IPEX Guy Guards are unaffected by exposure to ultraviolet rays and severe weather conditions.



GUY GUARD STANDARD DIMENSIONS

Product Code	Size	Colour	Length		Avg ID		Overlap		Avg Wall Thickness		Std Pkg (Bundle)	Crate Qty	Approx Weight	
			ft	m	in	mm	in	mm	in	mm			lbs/ft	kg/m
25514	large	yellow	7.0	2.13	2.24	57.00	2.48	63.00	0.098	2.50	10	150	0.58	0.86
25504	small	yellow	6.5	2.00	1.75	44.45	2.36	60.00	0.083	2.10	10	140	0.43	0.64
25503	small	green	7.0	2.13	1.75	44.45	2.36	60.00	0.083	2.10	10	140	0.43	0.64

APPLICATIONS

IPEX Guy Guards slide over the metal rods or cables which are used to support and stabilize poles and antennas. These brightly coloured Guy Guards clearly indicate the presence of hard-to-see guy wires, reducing the risk of injury. They also act as impact buffers.

ADVANTAGES

EASY INSTALLATION

The Guy Guard is fastened to the guy wire with a noncorroding, zinc alloy clamp. This clamp is equipped with a double-jaw gripper system which locks the guard in place and enables it to be easily removed and replaced for maintenance purposes.

HIGHLY VISIBLE COLOUR

The bright colour of these safety devices alerts passerbys to the potentially dangerous presence of a guy wire. Guy Guards are available in standard bright yellow or bright green. Other colours and/or coloured stripes are also available.

FLEXIBLE STRUCTURE

Made of polyethylene polymer, these devices are highly resistant to impact, even in cold eather.

LONG LIFE

IPEX Guy Guards resist corrosion and oxidation. Their mechanical features are therefore unaffected by exposure to ultraviolet rays and severe weather conditions such as acid rain.

SHORT FORM SPECIFICATIONS

Guy Guards shall be manufactured from medium density polyethylene. The name of the manufacturer and date produced shall be hot stamped on the face of the guard for permanent identification. Each guy guard shall be equipped with a two-piece noncorroding, zinc alloy clamp.



SALES AND CUSTOMER SERVICE

Customers call Electrical IPEX Inc.

Toll free: (866) 473-9462

www.ipexelectrical.com

About the IPEX Group of Companies

As leading suppliers of thermoplastic piping systems, the IPEX Group of Companies provides our customers with some of the largest and most comprehensive product lines. All IPEX products are backed by more than 50 years of experience. With state-of-the-art manufacturing facilities and distribution centers across North America, we have earned a reputation for product innovation, quality, end-user focus and performance.

Markets served by IPEX group products are:

- Electrical systems
- Telecommunications and utility piping systems
- PVC, CPVC, PP, PVDF, PE, ABS, and PEX pipe and fittings
- Industrial process piping systems
- Municipal pressure and gravity piping systems
- Plumbing and mechanical piping systems
- Electrofusion systems for gas and water
- Industrial, plumbing and electrical cements
- Irrigation systems

Product is manufactured by IPEX Electrical Inc.

This literature is published in good faith and is believed to be reliable. However it does not represent and/or warrant in any manner the information and suggestions contained in this brochure. Data presented is the result of laboratory tests and field experience.

A policy of ongoing product improvement is maintained. This may result in modifications of features and/or specifications without notice.



IPEX
by **alixis**

BRELGGIP190504C
© 2019 IPEX EL0205C

